

ALCAR TPMS Compatibility list

Steel wheels - effective 18th of August, 2016



ALCAR T-Pro

optimised for ALCAR Steel Wheels



ALCAR STAHLRAD	Wheel	ALCAR Sales Line						Third Party Sensors							OE Sensor
		ALCAR T-Pro 0 / T-Pro 1 & 2 / Single clamp-in	ALCAR T-Pro 0 snap-in	ALCAR Sensor by Schrader	Schrader EZ-Sensor 20° clamp-in	Schrader EZ 2.0 clamp-in	Schrader EZ 2.0 Delta clamp-in	Alligator sens.it snap-in	Alligator sens.it clamp-in	Cub UNI-Sensor clamp-in	Cub UNI-Sensor snap-in	Huf intelliSens 02 (valve 43mm)	Huf intelliSens 04	Huf intelliSens 09 snap-in	Schrader EZ 2.0 snap-in
	2590	✓	✓	✓	✓		✓	✓	✓						✓
	3005	✓	✓	✓	✓	✓	✓	✓	✓						✓
	3015	✓	✓	✓	✓	✓	✓	✓	✓						✓
	4001	✓	✓	✓	✓	✓									✓
	4002	✓	✓	✓	✓	✓									✓
	4003	✓	✓	✓	✓										✓
	4004	✓	✓	✓											✓
	4011	✗	✓	✗	✗	✗	✗								✓
	4045	✓	✓	✓	✓	✓	✓	✓	✓						✓
	4275	✓	✓	✓	✓	✓	✗	✗	✗						✓
	5000	✓	✓	✓	✓	✓	✓	✓	✓						✓
	5005	✓	✓	✓	✓	✓	✓	✓	✓						✓
	5008	✓	✓	✓	✓	✓									✓
	5015	✓	✓	✓	✓	✓	✓	✓	✓	✗					✓
	5020	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓
	5215	✓	✓	✓	✓	✗	✗	✗	✗						✓
	5335	✓	✓	✓	✓	✓	✓	✓	✓	✗					✓
	5965	✓	✓	✓	✓	✗	✗	✗	✓						✓
	5975	✓	✓	✓	✓	✓	✓	✓	✓	✗					✓
	6335	✓	✓	✓	✓	✓	✓	✓	✗						✓
	6355	✓	✓	✓	✗	✗	✗	✗	✗						✓
	6365	✓	✓	✓	✓	✓	✓	✓	✓	✗					✓
	6375	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓
	6445	✓	✓	✓	✓	✓	✓	✓	✓						✓
	6501	✓	✓	✓	✓	✓	✓	✓	✓						✓
	6505	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓
	6515	✓	✓	✓	✓	✗	✗	✓	✓	✓					✓
	6525	✓	✓	✓	✓	✓	✓	✓	✓	✓					✓
	6552	✓	✓	✓	✗	✗	✗	✗	✗	✓					✓
	6625	✓	✓	✓	✓	✓	✓	✓	✗	✗	✗				✓
	6655	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	6675	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	6735	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	6805	✓	✓	✓	✗	✗	✗	✗	✗	✗	✓				✓
	7005	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	7011														✓
	7025	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	7030	✓	✓	✓	✓	✓	✓	✓	✓	✗					✓

Due to short-term changes of the assignments of car and wheel by the car manufacturer, this is only a snapshot and can be modified if necessary.

For ALCAR customers extensive and car related updated daily TPMS information is provided in the ALCAR Webshop and Configurator.

ALCAR TPMS Compatibility list

Steel wheels - effective 18th of August, 2016



ALCAR T-Pro

optimised for ALCAR Steel Wheels



ALCAR STAHLRAD	Wheel	ALCAR Sales Line						Third Party Sensors							OE Sensor
		ALCAR T-Pro 0 / T-Pro 1 & 2 / Single clamp-in	ALCAR T-Pro 0 snap-in	ALCAR Sensor by Schrader	Schrader EZ-Sensor 20° clamp-in	Schrader EZ 2.0 clamp-in	Schrader EZ 2.0 Delta clamp-in	Alligator sens.it snap-in	Alligator sens.it clamp-in	Cub UNI-Sensor clamp-in	Cub UNI-Sensor snap-in	Huf intelliSens 02 (valve 43mm)	Huf intelliSens 04	Huf intelliSens 09 snap-in	Schrader EZ 2.0 snap-in
	7035	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7210	✓	✓	✓	✓	✓	✗					✓	✓	✓	✓
	7215	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7235	✓	✓	✓	✓	✓	✗					✓	✓	✓	✓
	7255	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7306	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7340	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7395	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7405	✗	✓	✗	✗	✓	✓					✓	✓	✓	✓
	7502	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7503	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7530	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7575	✓	✓	✓	✓	✓	✗					✓	✓	✓	✓
	7580	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7605	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7610	✓	✓	✓	✗	✓	✓					✓	✓	✓	✓
	7615	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7620	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7625	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7635	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7670	✓	✗									✓	✓	✓	✓
	7680	✗	✓	✗	✗	✗	✗					✓	✓	✓	✓
	7710	✗	✓	✗	✗	✗	✗					✓	✓	✓	✓
	7765	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7770	✓	✓	✓	✗	✗	✗					✓	✓	✓	✓
	7775	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7777	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7780	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓
	7805	✓	✓	✓								✓	✓	✓	✓
	7815	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7820	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7823	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7830	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7835	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7840	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7860	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7885	✓	✓	✓	✓	✗	✗	✗	✗	✗	✗	✗	✓	✓	✓
	7911	✓	✓	✓	✓	✓	✓					✓	✓	✓	✓

Due to short-term changes of the assignments of car and wheel by the car manufacturer, this is only a snapshot and can be modified if necessary.

For ALCAR customers extensive and car related updated daily TPMS information is provided in the ALCAR Webshop and Configurator.

ALCAR TPMS Compatibility list

Steel wheels - effective 18th of August, 2016



ALCAR T-Pro

optimised for ALCAR Steel Wheels

ALCAR STAHLRAD	Wheel	ALCAR Sales Line						Third Party Sensors							OE Sensor
		ALCAR T-Pro 0 / T-Pro 1 & 2 / Single clamp-in	ALCAR T-Pro 0 snap-in	ALCAR Sensor by Schrader	Schrader EZ-Sensor 20° clamp-in	Schrader EZ 2.0 clamp-in	Schrader EZ 2.0 Delta clamp-in	Alligator sens.it snap-in	Alligator sens.it clamp-in	Cub UNI-Sensor clamp-in	Cub UNI-Sensor snap-in	Huf intelliSens 02 (valve 43mm)	Huf intelliSens 04	Huf intelliSens 09 snap-in	Schrader EZ 2.0 snap-in
	7915	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✗	✗	✓	✓
	7995	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	8008	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	8037	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8049	✓	✓	✓											✓
	8053	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8055	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	8147	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
	8155	✓	✓	✗	✗	✗	✗								✓
	8157	✓	✓	✓	✗	✗	✗								✓
	8183	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8185	✓	✓	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓
	8266	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				✓
	8275	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8305	✓	✓		✓	✓		✓	✓	✓	✓				✓
	8312	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8325	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8337	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8425	✓	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓
	8426	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8442	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8465	✓	✓	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓
	8477	✓	✓	✓	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓
	8503	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8597	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8737	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8787	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8873	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8887	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8932	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	8952	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9001	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9002	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓
	9006	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			✓
	9045	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9062	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9087	✓	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓			✓
	9118	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓

Due to short-term changes of the assignments of car and wheel by the car manufacturer, this is only a snapshot and can be modified if necessary.

For ALCAR customers extensive and car related updated daily TPMS information is provided in the ALCAR Webshop and Configurator.

ALCAR TPMS Compatibility list

Steel wheels - effective 18th of August, 2016



ALCAR T-Pro

optimised for ALCAR Steel Wheels



ALCAR STAHLRAD	Wheel	ALCAR Sales Line						Third Party Sensors							OE Sensor
		ALCAR T-Pro 0 / T-Pro 1 & 2 / Single clamp-in	ALCAR T-Pro 0 snap-in	ALCAR Sensor by Schrader	Schrader EZ-Sensor 20° clamp-in	Schrader EZ 2.0 clamp-in	Schrader EZ 2.0 Delta clamp-in	Alligator sens.it snap-in	Alligator sens.it clamp-in	Cub UNI-Sensor clamp-in	Cub UNI-Sensor snap-in	Huf intelliSens 02 (valve 43mm)	Huf intelliSens 04	Huf intelliSens 09 snap-in	Schrader EZ 2.0 snap-in
	9127	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9133	✗	✓	✗	✗	✗	✗	✓	✗	✗	✗	✗	✓	✓	✓
	9147	✓	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9207	✗	✓	✗	✗	✗	✗	✓	✓	✓	✓	✗	✓	✓	✗
	9225	✓	✓	✗	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9228	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9232	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9244	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9245	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9253	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9272	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9277	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓	✓
	9317	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9327	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9337	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✓
	9367	✗	✗	✓	✗	✗	✗	✓	✓	✓	✓	✗	✓	✓	✓
	9407	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9427	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9442	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9488	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✓	✗
	9493	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9507	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9517	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9527	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9543	✗	✓	✗	✗	✗	✗	✓	✓	✓	✓	✗	✓	✓	✓
	9552	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9563	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9613	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9623	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9657	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9683	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9732	✓	✓	✓	✓	✗	✗	✗	✓	✓	✓	✓	✓	✗	✓
	9783	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9787	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9833	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9863	✓	✓	✓	✓	✗	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9873	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	9892	✓	✓	✗	✗	✗	✗	✓	✓	✓	✓	✓	✓	✗	✗

Due to short-term changes of the assignments of car and wheel by the car manufacturer, this is only a snapshot and can be modified if necessary.

For ALCAR customers extensive and car related updated daily TPMS information is provided in the ALCAR Webshop and Configurator.

ALCAR TPMS Compatibility list

Steel wheels - effective 18th of August, 2016



ALCAR T-Pro

optimised for ALCAR Steel Wheels

ALCAR STAHLRAD	Wheel	ALCAR Sales Line						Third Party Sensors								OE Sensor
		ALCAR T-Pro 0 / T-Pro 1 & 2 / Single clamp-in	ALCAR T-Pro 0 snap-in	ALCAR Sensor by Schrader	Schrader EZ-Sensor 20° clamp-in	Schrader EZ 2.0 clamp-in	Schrader EZ 2.0 Delta clamp-in	Alligator sens.it snap-in	Alligator sens.it clamp-in	Cub UNI-Sensor	Cub UNI-Sensor	Huf intelliSens 02 (valve 43mm)	Huf intelliSens 04	Huf intelliSens 09 snap-in	Schrader EZ 2.0 snap-in	
9922	9922	✓	✓	✓	x	x	x	✓	✓	✓	✓	✓	✓	✓	✓	
	9937	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9943	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9947	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9981	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9983	✓	✓	✓	x	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9987	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
	9993	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

Da sich Zuordnungen bei Fahrzeugen und Rädern durch den Fahrzeughersteller kurzfristig ändern können, ist diese Aufstellung nur als Momentaufnahme anzusehen und kann sich gegebenenfalls ändern.

Umfangreiche und fahrzeugbezogene tagesaktuelle RDKS Informationen finden Sie als ALCAR Kunde im ALCAR Webshop und Konfigurator.